



Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

1 Identification

- **Product identifier**
- **Trade name:** Aluminum Magnesium Master Alloy
- **Article number:** A110
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
AMG Aluminum
Building 200, 435 Devon Park Drive
WAYNE, PA 19087
USA
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (800)-523-8457
CHEMTREC: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 1)

· Dangerous components:

7429-90-5	aluminum	90.0%
-----------	----------	-------

4 First-aid measures

· Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media This alloy is non combustible. Use extinguishing media appropriate to the surrounding fire.

· Suitable extinguishing agents: Extinguishing powder. Do not use water.

· For safety reasons unsuitable extinguishing agents: Water

· Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters Wear suitable PPE

· Protective equipment: Wear Suitable PPE

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling No special measures required.

· Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a dry location
- **Information about storage in one common storage facility:** Store away from water.
- **Further information about storage conditions:** None
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7429-90-5 aluminum

PEL	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m ³ as Al; *as respirable fraction

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**
Adequate protection measures must be used to maintain exposure levels below stated limits.
- **Protection of hands:**
Wear suitable protection
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Wear suitable eye protection

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Color:	Silver grey

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 3)

· Odor:	Odorless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	450-620 C
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	400 °C (752 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.2 g/cm ³ (18.359 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Contact with water releases flammable gases
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
 - Contact with acids releases flammable gases.
 - Contact with alkali releases flammable gases.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
 - Water
 - Acids
 - Alkalis

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Generally not hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

In solid form this material poses no special environmental problems. Metal powders or dusts may have significant impact on air and water quality. Airborne emissions, spills and releases to the environment (discharge to streams, sewer systems, groundwater, surface soil, etc.) should be controlled immediately. If such potential for a spill or release exists it is advisable to develop and emergence spill response plan.

In solid form this material poses no special environmental problems. Metal powders or dusts may have significant impact on air and water quality. Airborne emissions, spills and releases to the environment (discharge to streams, sewer systems, groundwater, surface soil, etc.) should be controlled immediately. If such potential for a spill or release exists it is advisable to develop and emergence spill response plan.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
Prior to disposal consider if the material has recovery value. State or federal regulations may require specific labeling, packing, storage, transportation and disposal procedures. Contact an Environmental Engineer. or consultant familiar with waste disposal regulations.
- **Recommendation:**
Disposal of waste should be undertaken in accordance with appropriate national and local regulations. Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

7429-90-5 | aluminum

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/30/2015

Reviewed on 08/13/2015

Trade name: Aluminum Magnesium Master Alloy

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

7429-90-5 | aluminum

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:** customerservice@amg-al.com

· **Date of preparation / last revision** 09/30/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)